

CHAPTER 11A -- ACCESSIBILITY PROVISIONS
[JULY 1, 2015 SUPPLEMENT]

Prepared by: Mehdi Shadyab, P.E., J.D., CASp

City of San Diego--Development Services

| SECTION | HEADING | PAGE | STATUS OF CHANGE | COMMENTS |
|-------------|---|------|------------------|---|
| Ch 11A | Chapter heading | 419 | New | Note 1 added to address applicability of other laws. |
| 1101A.1 | Item #2 | 419 | Revised | Revised for clarification. "Spaces" changed to "areas". |
| 1101A.1 | Item #4 | 419 | Revised | Revised for clarification. "New" added. |
| 1101A.1 | Last paragraph of text | 419 | Revised | Revised to address applicability of Ch 11A to public housing. |
| 1102A.1 | Where required, Item #4 | 419 | Revised | Clarified congregate residences to mean 3 or more sleeping units. |
| 1102A.1 | Where required, Item #10 | 420 | Revised | Revised to address applicability of Ch 11A to public housing. |
| 1102A.3.2 | Multistory dwelling units in buildings with one or more elevators | 420 | New | Item #2 is new, requiring at least 1-kitchen on the primary entry level. |
| 1109A.2.1 | Private garages | 422 | Revised | Exception language clarified. |
| 1109A.8.1 | Vertical clearances | 423 | Revised | Reference requirement for Reflective warning signs changed to Sec. 1143A. |
| 1109A.8.5 | Accessible single parking space | 423 | Revised | Item #1 revised to allow loading/unloading access aisle on either side of the accessible parking space. |
| 1109A.8.6 | Van-Accessible single parking space | 423 | Revised | Item #1 revised to allow two different dimensional options for van accessible parking space. |
| 1109A.8.8 | Identification | 423 | Revised | Text language of entire section revised. |
| 1109A.8.8.2 | Parking space marking | 424 | New | New section added to separately address parking space marking. |

| | | | | |
|---------------------------------|--|-----------|---------------|--|
| | | | | |
| 1110A | Exterior Accessible Route | 424 | Revised | Section heading revised for clarification. |
| 1110A.1 | General (Accessible routes) | 424 | Revised | Item #1 deleted. |
| 1110A.1 | General (Accessible routes) | 424 | Revised | Item #2 revised. |
| 1110A.1 | General (Accessible routes) | 424 | Revised | Item #6 changed to #5 and application clarified. |
| | | | | |
| 1113A.1 | Width and continuous surface | 425 | Revised | Charging language revised adding for condition of walking surface. |
| 1113A.1.2 | Surfaces and cross slopes | 425 | Revised | |
| 1113A.4 | Level areas | 425 | Revised | Level area requirement referenced to Sec.1126A.3 |
| 1113A.5 | Gratings | 425 | Revised | Language added to address position of elongated openings of the grating. |
| 1113A.6 | Handrails | 426 | New | New section added addressing handrails along walking surfaces. |
| | | | | |
| 1114A.1 | Width | 426 | Revised | entire section revised |
| 1114A.2.1 | Cross slope | 426 | Revised | revised to require 1:48 max. slope (2.083%) |
| 1114A.4.3 | Size of bottom and intermediate landings | 426 | Revised | revised to address intermediate landing size. |
| 1114A.4.5 | Strike edge extension | 426 | Revised | revised to address doorways located adjacent to a ramp landing. |
| 1114A.4.6 | Change of direction | 426 | Revised | revised to address intermediate landing size at a change of direction in excess of 30 degrees. |
| 1114A.6.2.3 | Handrail extension | 427 | Revised | Clarified. |
| 1114A.6.2.5 | Handrail gripping surfaces | 427 | Revised | Section revised in entirety. |
| 1114A.6.2.6 | Cross section | 427 | New | Section added. |
| 1114A.6.2.7 | Fittings | 427 | New | Section added. |
| | | | | |
| 1115A.3 | Treads | 427 | Revised | Language added to address surface of treads. |
| 1115A.5 | Stripping for the visually impaired | 427 | Revised | Language added to prohibit use of grooves. |
| 1115A.6.2.2 thru 1115A.6.2.7 | Handrail configuration | 427 - 428 | Revised / New | Section revised and new sections added to address continuity, gripping surface, cross section, and fittings. |
| | | | | |

| | | | | |
|-------------------|---|-----------|---------------|--|
| 1116A.2 | Headroom clearance | 428 | Revised | Exception language revised to clarify. |
| 1116A.3 | Overhang obstructions | 428 | New | New exception added to address permitted height at door closers and door stops. |
| 1116A.5 | Detectable warnings at vehicular areas | 428 | New | New section added to address walk where crosses or adjoins a vehicular way. |
| | | | | |
| 1117A.5 | Entrances from parking structures, tunnels or elevated walkways | 429 | New | New section added to address where direct access for pedestrians is provided from a parking, tunnel or elevated walkway. |
| | | | | |
| 1119A.3 - 1119A.5 | Interior Accessible Routes: Width, Interior accessible routes over 200 feet, Changes in elevation | 429 | New | New sections added. |
| | | | | |
| 1122A.1 | Interior Ramps and Landings on Accessible Routes: Width | 430 | Revised | Section revised to clarify. |
| 1122A.2.1 | Cross slope | 430 | Revised | Corrected to specify 1:48. |
| 1122A.3.3 | Size of bottom and intermediate landings | 430 | Revised | Section revised to clarify. |
| 1122A.3.5 | Strike edge extension | 430 | Revised | Language added to address maneuvering clearance of doorways located adjacent to a ramp landing. |
| 1122A.3.6 | Change of direction | 430 | Revised | Section revised to clarify. |
| 1122A.5.2 | Handrail configuration | 430 - 431 | Revised / New | Section revised and new sections added to address continuity, gripping surface, cross section, and fittings. |
| | | | | |
| 1123A.3 | Treads | 431 | Revised | Language added to address surface of treads. |
| 1123A.5 | Stripping for the visually impaired | 431 | Revised | Language added to prohibit use of grooves. |
| 1123A.6.2 | Handrail configuration | 431 - 432 | Revised / New | Section revised and new sections added to address continuity, gripping surface, cross section, and fittings. |
| | | | | |
| 1124A.3.2 | Elevators: Car inside | 432 | Revised | Section revised in its entirety. |

| | | | | |
|--------------------|---|-----|----------------------------|--|
| Table 1124A.3.2 | Elevator Car Dimensions | 433 | New | New table added for minimum elevator car dimensions. |
| 1124A.3.3.1 | Elevators: Car control location | 432 | Revised | Section revised to address elevator floor button location. |
| 1124A.4 | Elevators: Hall call buttons | 432 | Revised | Language revised to address call operation buttons and key pads location. |
| 1124A.6 | Elevator: Hall lantern | 433 | Revised | Language added to item #2 to address frequency and decibels of audible signals; to item#3 to address location of fixture. |
| 1124A.8 | Elevator: Doorjamb marking | 434 | Revised | Revised to address location of doorjamb marking. |
| | | | | |
| 1125A.3 | Overhanging obstructions | 434 | New | New exception added to address permitted height at door closers and door stops. |
| | | | | |
| 1126A.1 1126A.2 | Width and height of doors and gates | 435 | Revised | Revised to include gates with this section. |
| 1126A.3.1 | Maneuvering clearances | 435 | Revised | Section revised in its entirety. |
| 1126A.3.2 | Swinging doors and gates | 435 | Revised | Revised to clarify sections for Front approach, Hinge side approach, latch side approach. |
| 1126A.3.3 | Space between consecutive doors or gates | 436 | Revised | Revised to include gates with this section. |
| 1126A.3.4 | Doorways without doors or gates, sliding doors, and folding doors | 436 | New | New section added. |
| 1126A.4 | Closer-effort to operate doors or gates | 436 | Revised | Revised to include gates with this section. |
| 1126A.5 | Type of latch and lock | 436 | Revised | Revised to include gates with this section. |
| 1126A.6 | Hand-activated door or gate hardware | 436 | Revised / New exception | Revised to include gates with this section, and to address sliding doors. A new exception is added to address access gates in barrier walls and fences protecting pools, spas, and hot tubs. |
| 1126A.7 | Smooth surface | 436 | Revised | Section revised in its entirety. |
| 1126A.8 | Windows | 436 | New | New section added. |
| | | | | |
| 1127A.2 | Toilet facilities: Compartment doors | 438 | New | New section added to address location of the compartment door. |

| | | | | |
|-----------|---|-----|---------------|---|
| 1127A.13 | Electric vehicle charging stations | 443 | New | New section added (reserved) for future. |
| 1131A.2 | Changes greater than 1/2 inch | 444 | Revised | Revised to add "sloped surface not greater than 5% slope", in addition to ramp, elevator or platform. |
| 1132A.5 | Maneuvering clearances at doors | 445 | Revised | Section revised in its entirety. |
| 1132A.9 | Smooth surface | 445 | Revised | Section revised in its entirety. |
| 1133A.2 | Clear floor space | 446 | New / Revised | Item #3 added to address clear floor space at the work surface. Item #4 revised to address location of the clear floor space at the work space, appliance or fixture. |
| 1133A.3 | Removable base cabinets | 446 | Revised | Section revised in its entirety. |
| 1133A.4.1 | Repositionable countertops | 446 | Revised | Item #1 revised to address all sinks. Also, Exception #2 revised to clarify. |
| 1133A.7 | Knee and toe space | 446 | Revised | Charging language revised. Items #3, #4, and #5 deleted. |
| 1133A.7.1 | Plumbing protection | 446 | Revised | Language added to clarify. |
| 1134A.5 | Bathtubs | 447 | Revised | Language revised to clarify. |
| 1134A.7 | Water closets | 449 | Revised | Item #4, Knee and toe space, has revised in its entirety. Item #6 language revised to clarify. |
| 1140A.2 | Telephones: Clear floor or ground space | 454 | Revised | Language revised to clarify. |
| 1140A.5 | Telephones: Enclosures | 454 | Revised | Section revised in its entirety. |
| 1140A.6 | Telephones: Equipment for hearing impaired people | 454 | Revised | Language revised to clarify. |
| 1140A.7 | Telephone: Text telephones (TTY) | 454 | Revised | Section revised in its entirety. |
| 1140A.7.2 | Text telephones: Height | 454 | New | New section added to address height of the keypad. |
| 1140A.11 | Shelf | 454 | New | New section added to address shelf and an electrical outlet for portable TTY. |

| | | | | |
|--------------------------|--|-------|---------|---|
| 1143A.8 | International Symbol of Accessibility (ISA) | 457 | Revised | Language revised to correct reference to Federal Standard concerning color blue of the ISA. |
| | | | | |
| Figure 11A-6B | Stair Handrails | 484 | Revised | Figures revised in its entirety. Figures added. |
| Figure 11A-7A | Minimum dimensions of elevator cars | 489 | Revised | Figures revised in its entirety. Figures added. |
| Figure 11A-7B | Elevator control panel | 490 | Revised | Figures revised in its entirety. |
| Figure 11A-7C | Hoist way and Elevator entrances | 491 | Revised | Figures revised in its entirety. |
| Figure 11A-8A | Maneuvering clearances at swinging doors | 492 | Revised | Figures revised. |
| Figure 11A-8B | Maneuvering clearances at doorways, sliding doors, and folding doors | 492.1 | Revised | Figures revised. Figure added. |
| Figure 11A-8C | Maneuvering clearances at recessed doors | 492.2 | New | New figures added to show maneuvering clearances at recessed doors for pull side and push side approach |
| Figure 11A-10A | Kitchen specifications | 509 | Revised | Figures revised. Figure added. |
| Figure 11A-11B | Telephones | 511 | Revised | Figures revised in its entirety. |
| | | | | |
| End of Supplement | | | | |
| | | | | |