CHAPTER 11B -- ACCESSIBILITY PROVISIONS
[JULY 1, 2015 SUPPLEMENT]

Prepared by: Mehdi Shadyab, P.E., J.D., CASp

City of San Diego--Development Services

SECTION	HEADING	PAGE	STATUS OF CHANGE	COMMENTS
11B-202.4	Path of travel requirements in alterations, additions and structural repairs--Exception 8	519	Revised	Item #3: Language added: ...or a single accessible unisex restroom. Item #4: Language added: ...Signs
11B-203.9	Employee work stations	520	Revised	Language clarified
11B-206.2.3.2	Distance to elevators	522	New	New exception added…Stairs use solely for emergency egress.
11B-206.4.1	Entrances and exterior ground floor exits	524	Revised	Exception's second sentence revised to provide directional signage.
11B-206.6	Elevators	525	New	Exception 3 is added for destination-oriented elevators.
11B-206.6.1	Existing elevators	525	New	Exception is added.
11B-208.2.3.3	Parking for guests, employees, and non-residents	526	New	Note added to address assigned parking.
11B-211.2	Drinking fountains	527	Revised	Language clarified.
11B-211.3	Drinking fountains	528	Revised	Language clarified.
11B-213.3.1	Toilet compartments	528	Revised	Language clarified to specify minimum number of accessible compartments to be provided.
11B-213.3.2	Water closets	528	Revised	Language clarified to specify minimum number of accessible water closets to be provided.
11B-213.3.3	Urinals	528	Revised	Language clarified to specify minimum number of accessible urinals to be provided.
11B-213.3.4	Lavatories	528	Revised	Language clarified to specify minimum number of accessible lavatories to be provided.

11B-215	Fire alarm system and carbon monoxide alarm system	529	Revised	Language clarified to address carbon monoxide alarms.
11B-216.5	Signs--Parking	529	Revised	Charging language added.
11B-216.5.1	Signs--Parking	530	Revised	word 'spaces' added after parking.
11B-216.5.2	Signs--Parking	530	New	New section added addressing parking facilities
11B-216.8	Signs--Toilet rooms and bathing rooms	530	Revised	First sentence revised for clarification.
11B-216.14	Signs--Variable message signs	531	New	New section added to address message signs in transportation facilities and emergency shelters.
11B- 221.2.4	Temporary structures	535	New	Note added to address when required wheelchair spaces are not occupied.
11B-221.3	Companion seat	535	Revised	Language clarified.
11B-224	Transient lodging guest rooms, housing at a place of education and social service center establishments	536	Revised	Section heading revised to include housing at a place of education and social service center establishments.
11B-224.1	Transient lodging guest rooms, housing at a place of education and social service center establishments	536	Revised	Reference section revised to include range of sections.
11B-224.7	Housing at a place of education	536	New	This section is new in its entirety.
11B-224.8	Social service center establishments	537	New	This section is new in its entirety.
11B-226.4	Baby changing tables	538	New	This section is new in its entirety.
11B-227.2	Check-out aisles	538	New	Note added.
11B-227.2	Check-out aisles	538	New	Table added for number of accessible aisles to be provided.
11B-233.2	Residential facilities	540	Deleted	
11B-233.3	Residential facilities	540	Revised	Charging language changed and clarified.
11B-233.3.6	Graduate student and faculty housing at a place of education	542	Revised	Language clarified.
11B-247.1.2.4	Detectable warnings--Bus stops	543	Revised	Language clarified.
11B-305.6	Clear floor or ground space--Approach	547	Revised	Language added.
11B-307.4.1	Protruding objects--Guy braces	549	New	New section and figure added to address guy braces.
11B-308.4	Suggested reach ranges for Children	551	New	This section and Table is new in its entirety to address reach ranges for children.

11B-403.5.1	Walking surfaces--Clear width	552	New	Exception 5 is added to address accessible route to accessible toilet compartments
11B-405.8	Handrails	561	Deleted	Exception 2 addressing ramps adjacent to fixed seating is deleted.
Figures 11B-406.2.2 11B-406.3.2 11B-406.5.3 11B-406.5.10 11B-406.6	Curb ramps	562	Revised	Grooved Borders are no longer required.
11B-406.5.11	Grooved Border	563	Deleted	Grooved Borders are no longer required.
11B-407	Elevators--Destination-oriented elevators Exceptions	564	Deleted	Many exceptions for the destination-oriented elevators have been deleted.
11B-407.4.8.1.4	Car position indicators	568	Deleted	Section dealing with destination-oriented elevators deleted.
11B-411	Destination-oriented elevators	570-571.4	New	This is a new section addressing all aspects of accessibility requirements for destination-oriented elevators.
11B-504.2	Stairways	576	New	New exception added to address curved stairways.
11B-505.10	Handrail extensions	577	Revised	Exception 3 revised to add stair flight.
11B-505.10.3	Bottom extension at stairs	578	Revised	Part of the language deleted and revised for clarification.
11B-603.5	Accessories	580	New	New exception added to address Baby changing tables.
11B-604.8.1.1	Size	582	Revised	Language added to address maneuverability requirements in the wheelchair accessible toilet compartment.
Figure 11B-604.7	Dispenser outlet location	582	Revised	Now shows vertical height dimension of the toilet dispenser to the outlet from the finished floor.
11B-604.8.1.1.2	Maneuvering space with side-opening door	582	Revised	Language revised for clarification.

11B-604.8.1.1.3	Maneuvering space with end-opening door	582	Revised	Language revised for clarification.
Figure 11B-604..8.1.4(c)	Wheel chair accessible toilet compartment toe clearance	582	Revised	Figure (c) revised.
11B-606.7	Sink depth	585	Revised	Section revised in entirety.
11B-703.4.2	Location of signs	595	Revised	Location of signs for permanent rooms and for exits revised. New exception added to address location of signs in alterations.
11B-703.7.2.1	Symbols- International symbol of accessibility	596	Revised	The standard for which the color blue of the symbol shall comply to is revised. In addition, Exception 2 is added to address symbol for destination-oriented elevators.
11B-703.8	Variable message signs	597-599	New	Section is new in entirety. Also see new definition for the variable message signs in Chapter 2.
11B-705.1.1.3	Detectable warnings-Color and contrast	600	Revised	Section is revised in its entirety.
11B-705.1.2.2	Detectable warnings-Curb ramps	600	Revised	Location of detectable warning revised.
11B-705.1.2.4	Detectable warning-Bus stops	600	Revised	Location of detectable warning revised.
11B-804	Kitchens, Kitchenettes, and wet bars	604	Revised	Wet bars are added to the section.
11B-806.3.1	Guest room with communication features--Alarms	607	Revised	Section revised to include carbon monoxide alarms.
11B-809.5.2 11B-809.5.3 11B-809.5.4	Residential dwelling unit smoke detection system and carbon monoxide detection system	608	Revised	Section revised to include carbon monoxide detection system.
11B-810.2.3	Transportation facilities--Connection	609	Revised	Section revised to clarify a detectable transition between the boarding/alighting and the roadway.
11B-1008.2.6	Ground surfaces-Use zones	619	Revised	Edition of standard to be used for ground surfaces is added.
11B-1009.2.1	Swimming pools, wading pools, and spas--Pool lift location	620	Revised	Exception 1 is revised to clarify where pool lifts are required. Exception 3 is deleted.

End of Supplement				